

| Pilot Sport 4S - part number | Tire Size, Load Index & Speed Rating | Mileage Warranty | Sidewall | UTQG Tread, UTQG Traction, UTQG Temp | Rim Width Range (Min/Max) | Section Width on Measuring Rim Width | Overall Diameter | revs/mi | Tread Depth (in 32nds) | Max Load, Single (lb @ PSI) | Tire Weight |
|------------------------------|--------------------------------------|------------------|----------|--------------------------------------|---------------------------|--------------------------------------|------------------|---------|------------------------|-----------------------------|-------------|
| 20896 | 215/45ZR17/XL (91Y) | 30,000 Mile | BSW | 300/AA/A | 7" - 8" | 8.4" on 7" | 24.7" | 844 | 9.5 | 1356@50 | 21.41 lbs |
| 12877 | 225/35ZR19/XL (88Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.1" on 8" | 25.2" | 824 | 9.5 | 1235@50 | 20.94 lbs |
| 33095 | 225/35ZR20/XL (90Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.1" on 8" | 26.2" | 793 | 9.5 | 1323@50 | 28.66 lbs |
| 02717 | 225/40ZR18/XL (92Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.1" on 8" | 25.1" | 829 | 9.5 | 1389@50 | 22.69 lbs |
| 91762 | 225/40ZR19/XL (93Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.1" on 8" | 26.1" | 797 | 9.5 | 1433@50 | 21.98 lbs |
| 68968 | 225/45ZR17/XL (94Y) | 30,000 Mile | BSW | 300/AA/A | 7" - 8.5" | 8.9" on 7.5" | 25.0" | 833 | 9.5 | 1477@50 | 26.85 lbs |
| 31753 | 225/45ZR18/XL (95Y) | 30,000 Mile | BSW | 300/AA/A | 7" - 8.5" | 8.9" on 7.5" | 25.9" | 802 | 9.5 | 1521@50 | 23.79 lbs |
| 01983 | 225/45ZR19/XL (96Y) | 30,000 Mile | BSW | 300/AA/A | 7" - 8.5" | 8.9" on 7.5" | 27.0" | 771 | 9.5 | 1565@50 | 25.33 lbs |
| 86940 | 225/50ZR17/XL (98Y) | 30,000 Mile | BSW | 300/AA/A | 6" - 8" | 9.2" on 7" | 25.9" | 803 | 9.5 | 1653@50 | 24.14 lbs |
| 73606 | 225/50ZR18/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 6" - 8" | 9.2" on 7" | 26.9" | 774 | 9.5 | 1709@50 | 26.06 lbs |
| 34879 | 235/30ZR20/XL (88Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 8.5" | 9.5" on 8.5" | 25.6" | 813 | 9.5 | 1235@50 | 21.36 lbs |
| 10221 | 235/35ZR19/XL (91Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.5" on 8.5" | 25.5" | 817 | 9.5 | 1356@50 | 22.22 lbs |
| 08557 | 235/35ZR20/XL (92Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.5" on 8.5" | 26.5" | 786 | 9.5 | 1389@50 | 23.1 lbs |
| 33211 | 235/35ZR20/XL (92Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.5" on 8.5" | 26.5" | 786 | 9.5 | 1389@50 | 22.69 lbs |
| 43847 | 235/40ZR18/XL (95Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.5" on 8.5" | 25.4" | 819 | 9.5 | 1521@50 | 23.52 lbs |
| 05800 | 235/40ZR19/XL (96Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.5" on 8.5" | 26.4" | 787 | 9.5 | 1565@50 | 24.82 lbs |
| 30110 | 235/45ZR17/XL (97Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.3" on 8" | 25.4" | 821 | 9.5 | 1609@50 | 23.85 lbs |
| 31139 | 235/45ZR18/XL (98Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.3" on 8" | 26.3" | 790 | 9.5 | 1653@50 | 24.82 lbs |
| 33601 | 235/45ZR20/XL (100Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.3" on 8" | 28.4" | 734 | 9.5 | 1764@50 | 29.56 lbs |
| 39562 | 235/50ZR18/XL (101Y) | 30,000 Mile | BSW | 300/AA/A | 6.5" - 8.5" | 9.7" on 7.5" | 27.3" | 762 | 9.5 | 1819@50 | 27.45 lbs |
| 29621 | 245/30ZR19/XL (89Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9" | 9.8" on 8.5" | 24.8" | 837 | 9.5 | 1279@50 | 21.14 lbs |
| 32528 | 245/30ZR20/XL (90Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9" | 9.8" on 8.5" | 25.8" | 805 | 9.5 | 1323@50 | 22.88 lbs |
| 44019 | 245/30ZR21/XL (91Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9" | 9.8" on 8.5" | 26.8" | 776 | 9.5 | 1356@50 | 23.52 lbs |
| 76950 | 245/35ZR18/XL (92Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 24.8" | 840 | 9.5 | 1389@50 | 22.97 lbs |

| Pilot Sport 4S - part number | Tire Size, Load Index & Speed Rating | Mileage Warranty | Sidewall | UTQG Tread, UTQG Traction, UTQG Temp | Rim Width Range (Min/Max) | Section Width on Measuring Rim Width | Overall Diameter | revs/mi | Tread Depth (in 32nds) | Max Load, Single (lb @ PSI) | Tire Weight |
|------------------------------|--------------------------------------|------------------|----------|--------------------------------------|---------------------------|--------------------------------------|------------------|---------|------------------------|-----------------------------|-------------|
| 03744 | 245/35ZR19/XL (93Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 25.8" | 807 | 9.5 | 1433@50 | 24.27 lbs |
| 22358 | 245/35ZR20/XL (95Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 26.8" | 777 | 9.5 | 1521@50 | 23.81 lbs |
| 21408 | 245/35ZR20/XL (95Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 26.8" | 777 | 9.5 | 1521@50 | 23.92 lbs |
| 57304 | 245/35ZR20/XL (95Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 26.8" | 777 | 9.0 | 1521@50 | 24.34 lbs |
| 72844 | 245/35ZR20/XL (95Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 26.8" | 777 | 9.5 | 1521@50 | 23.24 lbs |
| 63006 | 245/40ZR17/XL (95Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 24.7" | 841 | 9.5 | 1521@50 | 23.94 lbs |
| 37666 | 245/40ZR18/XL (97Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 25.7" | 809 | 9.5 | 1609@50 | 25.37 lbs |
| 25373 | 245/40ZR19/XL (98Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 26.7" | 778 | 9.5 | 1653@50 | 26.57 lbs |
| 13840 | 245/40ZR20/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 9.8" on 8.5" | 27.7" | 750 | 9.5 | 1709@50 | 28.13 lbs |
| 08090 | 245/45ZR17/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.6" on 8" | 25.7" | 810 | 9.5 | 1709@50 | 25.51 lbs |
| 03481 | 245/45ZR18/XL (100Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.6" on 8" | 26.7" | 780 | 9.5 | 1764@50 | 26.3 lbs |
| 05252 | 245/45ZR20/XL (103Y) | 30,000 Mile | BSW | 300/AA/A | 7.5" - 9" | 9.6" on 8" | 28.7" | 726 | 9.5 | 1929@50 | 29.78 lbs |
| 10080 | 255/30ZR19/XL (91Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 9.5" | 10.2" on 9" | 25.1" | 829 | 9.5 | 1356@50 | 24.56 lbs |
| 29965 | 255/30ZR20/XL (92Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 9.5" | 10.2" on 9" | 26.1" | 798 | 9.5 | 1389@50 | 23.17 lbs |
| 24541 | 255/30ZR21/XL (93Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 9.5" | 10.2" on 9" | 27.1" | 769 | 9.5 | 1433@50 | 24.91 lbs |
| 27579 | 255/35ZR18/XL (94Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 10" | 10.2" on 9" | 25.0" | 832 | 9.5 | 1477@50 | 25.33 lbs |
| 66901 | 255/35ZR19/XL (96Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 10" | 10.2" on 9" | 26.0" | 799 | 9.5 | 1565@50 | 23.83 lbs |
| 30209 | 255/35ZR20/XL (97Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 10" | 10.2" on 9" | 27.0" | 770 | 9.5 | 1609@50 | 26.34 lbs |
| 98512 | 255/40ZR18/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 10" | 10.2" on 9" | 26.0" | 799 | 9.5 | 1709@50 | 26.08 lbs |
| 78074 | 255/40ZR19/XL (100Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 10" | 10.2" on 9" | 27.1" | 769 | 8.5 | 1764@50 | 28.59 lbs |
| 59321 | 255/40ZR20/XL (101Y) | 30,000 Mile | BSW | 300/AA/A | 8.5" - 10" | 10.2" on 9" | 28.0" | 742 | 9.5 | 1819@50 | 28.22 lbs |
| 65974 | 255/45ZR18/XL (103Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 10" on 8.5" | 27.1" | 769 | 9.5 | 1929@50 | 27.54 lbs |
| 10009 | 255/45ZR20/XL (105Y) | 30,000 Mile | BSW | 300/AA/A | 8" - 9.5" | 10" on 8.5" | 29.1" | 716 | 9.5 | 2039@50 | 31.81 lbs |
| 79569 | 265/30ZR19/XL (93Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10" | 10.7" on 9.5" | 25.3" | 822 | 9.5 | 1433@50 | 24.47 lbs |

| Pilot Sport 4S - part number | Tire Size, Load Index & Speed Rating | Mileage Warranty | Sidewall | UTQG Tread, UTQG Traction, UTQG Temp | Rim Width Range (Min/Max) | Section Width on Measuring Rim Width | Overall Diameter | revs/mi | Tread Depth (in 32nds) | Max Load, Single (lb @ PSI) | Tire Weight |
|------------------------------|--------------------------------------|------------------|----------|--------------------------------------|---------------------------|--------------------------------------|------------------|---------|------------------------|-----------------------------|-------------|
| 68444 | 265/30ZR20/XL (94Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10" | 10.7" on 9.5" | 26.3" | 791 | 9.5 | 1477@50 | 25.33 lbs |
| 28170 | 265/30ZR21/XL (96Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10" | 10.7" on 9.5" | 27.3" | 762 | 9.5 | 1565@50 | 25.02 lbs |
| 53791 | 265/35ZR18/XL (97Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 25.3" | 822 | 9.5 | 1609@50 | 26.06 lbs |
| 87309 | 265/35ZR19/XL (98Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 26.3" | 790 | 9.5 | 1653@50 | 25.37 lbs |
| 07389 | 265/35ZR20/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 27.3" | 761 | 9.5 | 1709@50 | 27.36 lbs |
| 33116 | 265/35ZR20/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 27.3" | 761 | 9.5 | 1709@50 | 25.97 lbs |
| 14196 | 265/35ZR20/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 27.3" | 761 | 9.5 | 1709@50 | 26.28 lbs |
| 85587 | 265/40ZR18/XL (101Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 26.3" | 790 | 9.5 | 1819@50 | 26.06 lbs |
| 14885 | 265/40ZR19/XL (102Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 27.3" | 760 | 9.5 | 1874@50 | 27.01 lbs |
| 29960 | 265/40ZR20/XL (104Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 28.4" | 734 | 9.5 | 1984@50 | 28.88 lbs |
| 02987 | 265/40ZR21/XL (105Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10.5" | 10.7" on 9.5" | 29.3" | 709 | 9.5 | 2039@50 | 28.88 lbs |
| 52157 | 275/30ZR19/XL (96Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10" | 10.9" on 9.5" | 25.6" | 814 | 9.5 | 1565@50 | 26.9 lbs |
| 50352 | 275/30ZR20/XL (97Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10" | 10.9" on 9.5" | 26.5" | 784 | 9.5 | 1609@50 | 25.93 lbs |
| 27459 | 275/30ZR20/XL (97Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 10" | 10.9" on 9.5" | 26.5" | 784 | 9.5 | 1609@50 | 26.65 lbs |
| 00795 | 275/35ZR18/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 11" | 10.9" on 9.5" | 25.6" | 814 | 9.5 | 1709@50 | 28.09 lbs |
| 10078 | 275/35ZR19/XL (100Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 11" | 10.9" on 9.5" | 26.6" | 783 | 9.5 | 1764@50 | 27.6 lbs |
| 22176 | 275/35ZR20/XL (102Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 11" | 10.9" on 9.5" | 27.6" | 755 | 9.0 | 1874@50 | 26.9 lbs |
| 33200 | 275/35ZR20/XL (102Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 11" | 10.9" on 9.5" | 27.6" | 755 | 9.5 | 1874@50 | 29.48 lbs |
| 21747 | 275/40ZR19/XL (105Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 11" | 10.9" on 9.5" | 27.7" | 751 | 8.5 | 2039@50 | 31.37 lbs |
| 39467 | 275/40ZR20/XL (106Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 11" | 10.9" on 9.5" | 28.7" | 726 | 9.5 | 2094@50 | 32.5 lbs |
| 49649 | 275/40ZR22/XL (107Y) | 30,000 Mile | BSW | 300/AA/A | 9" - 11" | 10.9" on 9.5" | 30.7" | 678 | 9.5 | 2149@50 | 30.31 lbs |
| 69230 | 285/25ZR20/XL (93Y) | 30,000 Mile | BSW | 300/AA/A | 10.5" - 10.5" | 11.6" on 10.5" | 25.6" | 813 | 9.5 | 1433@50 | 25.79 lbs |
| 44926 | 285/30ZR20/XL (99Y) | 30,000 Mile | BSW | 300/AA/A | 9.5" - 10.5" | 11.4" on 10" | 26.8" | 777 | 9.5 | 1709@50 | 28.0 lbs |

| Pilot Sport 4S - part number | Tire Size, Load Index & Speed Rating | Mileage Warranty | Sidewall | UTQG Tread, UTQG Traction, UTQG Temp | Rim Width Range (Min/Max) | Section Width on Measuring Rim Width | Overall Diameter | revs/mi | Tread Depth (in 32nds) | Max Load, Single (lb @ PSI) | Tire Weight |
|------------------------------|--------------------------------------|------------------|----------|--------------------------------------|---------------------------|--------------------------------------|------------------|---------|------------------------|-----------------------------|-------------|
| 12182 | 285/35ZR18/XL (101Y) | 30,000 Mile | BSW | 300/AA/A | 9.5" - 11" | 11.4" on 10" | 25.9" | 804 | 9.5 | 1819@50 | 28.81 lbs |
| 79871 | 285/35ZR19/XL (103Y) | 30,000 Mile | BSW | 300/AA/A | 9.5" - 11" | 11.4" on 10" | 26.9" | 774 | 9.5 | 1929@50 | 30.49 lbs |
| 70968 | 285/35ZR20/XL (104Y) | 30,000 Mile | BSW | 300/AA/A | 9.5" - 11" | 11.4" on 10" | 27.9" | 746 | 9.0 | 1984@50 | 29.12 lbs |
| 09209 | 285/35ZR20/XL (104Y) | 30,000 Mile | BSW | 300/AA/A | 9.5" - 11" | 11.4" on 10" | 27.9" | 746 | 9.5 | 1984@50 | 30.34 lbs |
| 20617 | 295/30ZR19/XL (100Y) | 30,000 Mile | BSW | 300/AA/A | 10" - 11" | 11.9" on 10.5" | 26.0" | 799 | 9.5 | 1764@50 | 28.17 lbs |
| 06016 | 295/30ZR20/XL (101Y) | 30,000 Mile | BSW | 300/AA/A | 10" - 11" | 11.9" on 10.5" | 27.0" | 770 | 9.5 | 1819@50 | 29.67 lbs |
| 96583 | 295/30ZR20/XL (101Y) | 30,000 Mile | BSW | 300/AA/A | 10" - 11" | 11.9" on 10.5" | 27.0" | 770 | 9.5 | 1819@50 | 29.03 lbs |
| 10165 | 295/35ZR19/XL (104Y) | 30,000 Mile | BSW | 300/AA/A | 10" - 11.5" | 11.9" on 10.5" | 27.1" | 767 | 9.5 | 1984@50 | 28.62 lbs |
| 50466 | 295/35ZR20/XL (105Y) | 30,000 Mile | BSW | 300/AA/A | 10" - 11.5" | 11.9" on 10.5" | 28.1" | 740 | 9.5 | 2039@50 | 30.47 lbs |
| 25083 | 295/35ZR20/XL (105Y) | 30,000 Mile | BSW | 300/AA/A | 10" - 11.5" | 11.9" on 10.5" | 28.1" | 740 | 9.5 | 2039@50 | 31.97 lbs |
| 58070 | 295/35ZR21/XL (107Y) | 30,000 Mile | BSW | 300/AA/A | 10" - 11.5" | 11.8" on 10.5" | 29.1" | 715 | 9.0 | 2149@50 | 31.53 lbs |
| 10365 | 305/30ZR19/XL (102Y) | 30,000 Mile | BSW | 300/AA/A | 10.5" - 11.5" | 12.3" on 11" | 26.3" | 792 | 9.5 | 1874@50 | 27.91 lbs |
| 06890 | 305/30ZR20/XL (103Y) | 30,000 Mile | BSW | 300/AA/A | 10.5" - 11.5" | 12.3" on 11" | 27.2" | 764 | 9.5 | 1929@50 | 30.51 lbs |
| 23115 | 305/30ZR20/XL (103Y) | 30,000 Mile | BSW | 300/AA/A | 10.5" - 11.5" | 12.3" on 11" | 27.2" | 764 | 9.0 | 1929@50 | 31.13 lbs |
| 54332 | 325/30ZR19/XL (105Y) | 30,000 Mile | BSW | 300/AA/A | 11" - 12" | 13" on 11.5" | 26.7" | 778 | 9.5 | 2039@50 | 31.46 lbs |
| 70264 | 345/30ZR20 (106Y) | 30,000 Mile | BSW | 300/AA/A | 11.5" - 12.5" | 13.8" on 12" | 28.2" | 738 | 9.5 | 2094@51 | 34.02 lbs |